


What is claimed is:

1. A compound of formula (I)



wherein

R^1 is lower alkyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, or lower alkyl substituted by cycloalkyl, aryl, substituted aryl, heteroaryl or substituted heteroaryl;

R^2 , R^3 and R^4 are each independently hydrogen, halogen, hydroxy, lower alkyl, lower alkoxy or lower alkenyl, wherein lower alkyl, lower alkoxy and lower alkenyl are optionally substituted by lower alkoxycarbonyl, aryl, substituted aryl, heterocyclyl or substituted heterocyclyl.

R^5 is hydrogen, fluorine, lower alkyl, aryl or substituted aryl;

R^6 is hydrogen, lower alkyl or hydroxy-lower alkyl, or

R^5 and R^6 together with the carbon atoms to which they are attached form a five or six membered saturated carbocyclic ring;

R^7 is hydrogen, fluorine or lower alkyl;

and pharmaceutically acceptable salts thereof;

with the exception of *rac*-3 β -Isobutyl-9,10-dimethoxy-1,3,4,6,7,11 β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine dihydrochloride and *rac*-3 β -Isobutyl-9,10-dimethoxy-1,3,4,6,7,11 β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine dihydrochloride.

2. The compound according to claim 1, wherein R^1 is lower alkyl, aryl, substituted aryl, or lower alkyl substituted by cycloalkyl, aryl or substituted aryl;

R^2 , R^3 and R^4 are each independently hydrogen, hydroxy, lower alkyl, lower alkoxy or lower alkenyl, wherein lower alkyl, lower alkoxy and lower alkenyl are optionally substituted by lower alkoxycarbonyl, aryl, substituted aryl, heterocyclyl, or substituted heterocyclyl; R^5 and R^6 are each independently hydrogen, lower alkyl, aryl, substituted aryl, or, together with the carbon atoms to which they are attached form a five or six membered saturated carbocyclic ring.

3. The compound according to claim 1, wherein R^1 is lower alkyl, phenyl, or lower alkyl substituted by cycloalkyl.

4. The compound according to claim 3, wherein R^1 is lower alkyl or lower alkyl substituted by cycloalkyl.

5. The compound according to claim 1, wherein R^1 is a heteroaryl or substituted heteroaryl in which the heteroaryl residue is selected from pyrrolyl and pyridinyl.

6. The compound according to claim 1, wherein R^2 , R^3 and R^4 are each independently hydrogen, hydroxy, lower alkoxy; or lower alkoxy substituted by aryl, substituted aryl, heterocyclyl, substituted heterocyclyl, or lower alkoxycarbonyl.

7. The compound according to claim 6, wherein R^2 , R^3 and R^4 are each independently lower alkoxy substituted by phenyl or phenyl substituted by di-lower alkyl amino or cyano.

8. The compound according to claim 6, wherein R^2 is lower alkoxy.

9. The compound according to claim 6, wherein R^3 is lower alkoxy, hydrogen, hydroxy; or lower alkoxy substituted by aryl, substituted aryl, heterocyclyl, substituted heterocyclyl or lower alkoxycarbonyl.

10. The compound according to claim 9, wherein R^3 is lower alkoxy, hydrogen or hydroxy.

11. The compound according to claim 6, wherein R⁴ is lower alkoxy, hydrogen or hydroxy.

12. The compound according to claim 1, wherein R⁵ and R⁶ are hydrogen or, together with the carbon atoms to which they are attached, form a six membered saturated carbocyclic ring.

13. The compound according to claim 1, selected from the group consisting of:
rac-9,10-dimethoxy-3 β -propyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
rac-9,10-dimethoxy-3 β -(3-methyl-butyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-3 β -cyclopropylmethyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
rac-7 β -butyl-11,12-dimethoxy-2,3,4,4a,6,7,8,9,9a,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine,
rac-3 β -butyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine chlorohydrate (1:2),
rac-9,10-dimethoxy-3 β -propyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine chlorohydrate (1:2),
rac-7 β -butyl-11,12-dimethoxy-2,3,4,4a,6,7,8,9,9a,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine chlorohydrate (1:2),
rac-2 β -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol chlorohydrate (1:2),
rac-2 α -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol chlorohydrate (1:2),
rac-2 β -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol,
rac-2 α -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol, and

rac-9,10-dimethoxy-3 β -phenyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine.

14. The compound according to claim 1, selected from the group consisting of:
rac-9,10-dimethoxy-3 β -(3-methyl-butyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-7 β -butyl-11,12-dimethoxy-2,3,4,4a,6,7,8,9,9a,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine,
rac-3 β -butyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine chlorohydrate (1:2),
rac-7 β -butyl-11,12-dimethoxy-2,3,4,4a,6,7,8,9,9a,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine chlorohydrate (1:2),
rac-2 α -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol chlorohydrate (1:2),
rac-2 α -amino-3 β -butyl-10-methoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-9-ol, and
rac-9,10-dimethoxy-3 β -phenyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine.

15. The compound according to claim 1, selected from the group consisting of:
rac-9,10-Dimethoxy-3 β -pyrrol-1-yl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-9,10-Dimethoxy-3 β -*p*-tolyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
rac-9,10-Dimethoxy-3 β -*p*-tolyl-1,3,4,6,7,11b α -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-9,10-dimethoxy-3 β -(3,4-dimethyl-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine chlorohydrate (1:2),

rac-9,10-dimethoxy-3 β -(3,4-Dimethyl-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine chlorohydrate (1:2),
rac-9,10-Dimethoxy-3 β -(3-methoxy-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine chlorohydrate (1:2),
rac-9,10-Dimethoxy-3 β -(3-methoxy-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine chlorohydrate (1:2),
rac-9,10-Dimethoxy-3 β -pyridin-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine chlorohydrate (1:2),
rac-9,10-Dimethoxy-3 β -pyridin-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine chlorohydrate (1:2),
rac-4-(2 β -Amino-3 β -butyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-7 β -yl)-phenol,
rac-3 β -Butyl-9,10-dimethoxy-6-methyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine,
rac-3 β -Butyl-7 β -(4-chloro-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-3 β -Butyl-7 α -(4-chloro-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-3 β -Butyl-7 β -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-3 β -Butyl-9,10-dimethoxy-7,7-dimethyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-3 β -Butyl-9,10-dimethoxy-7,7-dimethyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
rac-7 β -Butyl-11,12-dimethoxy-2,3,4,4a β ,6,7,8,9,9a α ,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine,
rac-7 β -Butyl-11,12-dimethoxy-2,3,4,4a β ,6,7,8,9,9a α ,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 α -ylamine,

rac-3 β -Butyl-7 α -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-6 α -methyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine,
rac-7 β -Butyl-11,12-dimethoxy-13b-methyl-2,3,4,4a β ,6,7,8,9,9a,13b-decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine,
rac-9,10-Dimethoxy-3 α -phenyl-1,3,4,6,7,11b α -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
rac-9,10-Dimethoxy-3 α -phenyl-1,3,4,6,7,11b α -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
 9,10-Dimethoxy-3 α -phenyl-1,3,4,6,7,11b α -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
 9,10-Dimethoxy-3 α -phenyl-1,3,4,6,7,11b α -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
 9,10-Dimethoxy-3 β -phenyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine,
 9,10-Dimethoxy-3 β -phenyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine,
 (6*S*)-(2-Amino-3-butyl-9,10-dimethoxy-1,3,4,6,7,11b-hexahydro-2H-pyrido[2,1-a]isoquinolin-6-yl)-methanol,
rac-4-(2 β -Amino-3 β -butyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-7-yl)-phenol hydrochloride,
rac-4-(2 β -Amino-3 β -butyl-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-7 β -yl)-phenol hydrochloride,
rac-3 β -Butyl-9,10-dimethoxy-6-methyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine hydrochloride,
rac-3 β -Butyl-7 β -(4-chloro-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,
rac-3 β -Butyl-7 α -(4-chloro-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,

rac-3 β -Butyl-7 β -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,
rac-3 α -Butyl-7 β -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine hydrochloride,
rac-3 β -Butyl-7 β -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine hydrochloride,
rac-3 β -Butyl-7 α -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,
rac-3 β -Butyl-9,10-dimethoxy-7 β -(4-methoxy-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,
rac-3 β -Butyl-9,10-dimethoxy-7 β -(4-methoxy-phenyl)-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine hydrochloride,
rac-3 β -Butyl-9,10-dimethoxy-7,7-dimethyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 α -ylamine hydrochloride,
rac-3 β -Butyl-9,10-dimethoxy-7,7-dimethyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2 β -ylamine hydrochloride,
rac-7 β -Butyl-11,12-dimethoxy-2,3,4,4a β ,6,7,8,9,9a α ,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 β -ylamine hydrochloride,
rac-7 β -Butyl-11,12-dimethoxy-2,3,4,4a β ,6,7,8,9,9a α ,13b β -decahydro-1H-pyrido[1,2-f]phenanthridin-8 α -ylamine hydrochloride, and
rac-3 β -Butyl-7 α -(3,4-dimethoxy-phenyl)-9,10-dimethoxy-6 α -methyl-1,3,4,6,7,11b β -hexahydro-2H-pyrido[2,1-a]isoquinolin-2-ylamine hydrochloride.

16. A pharmaceutical composition comprising a compound according to claim 1 and a pharmaceutically acceptable carrier.

17. A method for the treatment or prophylaxis of diabetes or non-insulin dependent diabetes mellitus, which comprises administering to a patient in need of treatment a compound according to claim 1 in an amount of from about 1 to 1000 mg.

18. The method according to claim 17, wherein the amount administered is a daily dosage of from about 1 to 100 mg.